

Colligo Email Manager 5.2

Administrator's Guide



DOCUMENT REVISION HISTORY

Document Revision #	Content Change	Date
5.2	<ul style="list-style-type: none"> • Added procedure describing how to edit the Registry • Removed table of registry descriptions and replaced with a link to web site configuration settings page: http://www.colligo.com/support/settings/ • Added information about overriding PST policies (PSTDisableGrow registry key) 	February 13, 2012
5.1 Revision 1	Added prerequisite download links for client software requirements	November 30, 2011
5.1	Updated for 5.1 release	October 17, 2011
5.0	Original Release	August 11, 2011

CONTENTS

Introduction.....	4
Target Audience	4
Overview	4
SharePoint Security & Privileges.....	4
Technical Requirements	5
Software Requirements	5
Server Software Requirements	5
Hardware Requirements	5
Installing Colligo Email Manager	6
EXE Installer.....	6
Interactive EXE Install.....	6
MSI Installer	6
Interactive MSI Install.....	6
Silent Install or Uninstall	6
Disabling Colligo Contributor Add-In for Outlook	7
Post-Install Configuration	8
Overriding PST Policies	8
Editing the MSI	8
Installing the Orca MSI editor	8
Using Orca to Edit the MSI	8
Editing the Registry.....	9
Colligo Administrator.....	11
Activation and Licensing	11
Virtualization and Hot Desking	11
Communications.....	12
White Labeling.....	12
Metadata	12
Configuring SharePoint Libraries for Email Metadata	13
Downloading the List Template	13
Installing the Sample List Template	13
Creating a Site	14
Manually Creating Content Types	16
Enabling Metadata Extraction	16
Adding a New Content Type to a Library	17
Configuring a Content Type	19
Hiding Columns	21
Adding a New Content Type to Library.....	21
Creating a Library Without Content Types	23
Creating an Email View	24
Validating Metadata Extraction	26
Changing Column Mappings.....	26
Configuring Search in a SharePoint Site	28

Adding Searchable Columns in SharePoint28

Adding Managed Property Mappings.....28

 Enabling the IsDocument Property33

 Configuring Local Machines34

Uninstalling Colligo Email Manager34

INTRODUCTION

This document provides guidance for your deployment of Colligo Email Manager.

User documentation is available on the Colligo Email Manager support website:
<http://www.colligo.com/support/>.

For any further technical details, please contact Colligo Technical Support at support@colligo.com, or for sales related questions, please contact sales@colligo.com.

Target Audience

- IT Administrators
- Technical Evaluators
- Deployment Managers

Overview

Colligo Email Manager is an easy-to-deploy .NET client-only application; no server modifications are required. The installer package is 10 MB in size. When installed, it consumes less than 20 MB of disk space, not including content. Colligo Email Manager supports customized installations and can be deployed using your choice of deployment tools.

Colligo Email Manager supports SharePoint 2010 and SharePoint 2010 Online (Office365), and Outlook 2007 and 2010.

Colligo Email Manager provides the following functionality:

- Filing of email and attachments to SharePoint 2010 sites through drag-and-drop or ribbon buttons
- Full metadata support for tagging email and attachments as they are being filed
- Simultaneous federated search of SharePoint 2010 sites and Outlook
- Sending links to attachments from SharePoint 2010
- Browsing of SharePoint 2010 document libraries from within Outlook

SHAREPOINT SECURITY & PRIVILEGES

By using SharePoint's web services to access SharePoint data, Colligo Email Manager respects all privileges defined on the site. Colligo Email Manager supports most standard sign-on processes supported by SharePoint, including support for default credentials and other specified credentials. Passwords are stored in a secure manner using the Windows Cryptographic API.

The following standard Windows IIS authentication types are supported:

- Basic
- Digest
- Kerberos (Integrated Windows)
- NTLM (Integrated Windows)

Claims-based authentication is also supported. SharePoint by default does not provide web service permissions to anonymous users, so this permission level cannot be used for uploading documents to SharePoint. Client certificates, ASP.NET forms-based authentication, and single-sign-on (SSO) based on Active Directory Federation Services (ADFS) or similar identity management systems are not currently supported.

TECHNICAL REQUIREMENTS

Software Requirements

Colligo Email Manager requires the following software:

- Microsoft Outlook 2007 or 2010 SP1 (32-bit or 64-bit edition)
- Internet Explorer 7, 8, or 9 (optional)
- Windows XP SP3, Windows Vista, or Windows 7
- Windows 2008R2 Server (for Terminal Services)

Colligo Email Manager also requires the following supporting software on the client machine:

- Microsoft .NET framework 4.0 Runtime
 - <http://www.microsoft.com/download/en/details.aspx?id=17718>
- Microsoft Visual C++ 2010 Redistributable Package
 - 32-bit Operating System: <http://www.microsoft.com/download/en/details.aspx?id=5555>
 - 64-bit Operating System: <http://www.microsoft.com/download/en/details.aspx?id=14632>
- Visual Studio Tools for Office (VSTO) 2010
 - <http://www.microsoft.com/download/en/details.aspx?id=20479>
- Microsoft Office PIAs
 - Office 2010: <http://www.microsoft.com/download/en/details.aspx?id=3508>
 - Office 2007: <http://www.microsoft.com/download/en/details.aspx?id=18346>

Server Software Requirements

Colligo Email Manager requires at least one of the following:

- Microsoft SharePoint Server 2010
- Microsoft SharePoint Foundation 2010
- SharePoint 2010 Online (Office 365)
- (Optional) Microsoft FAST Search Server 2010 for SharePoint

No additional server-side software is required from Colligo. Colligo Administrator is an optional server-side component facilitating enterprise deployments of Colligo Email Manager and other Colligo client software.

Colligo Email Manager has been tested with and fully supports Service Pack 1 (SP1) for SharePoint Server 2010 and SharePoint Foundation 2010. Contact Colligo Support (support@colligo.com) for compatibility questions regarding further Cumulative Updates and Service Packs for SharePoint.

Hardware Requirements

Colligo Email Manager has the same client system requirements as Office, which you can find here: <http://technet.microsoft.com/en-us/library/ee624351.aspx#Overview>

INSTALLING COLLIGO EMAIL MANAGER

There are two installers for Colligo Email Manager. These are a .exe installer and a .msi installer.

Additionally, the installer package you need is dependent on which Operating System you are running:

- For a 32-bit operating system, use the x86 installer
- For a 64-bit operating system, use the x64 installer

EXE Installer

This installer package is an executable file with the following key features:

- Supports interactive install only (does not support silent install)
- Automatically installs software prerequisites (downloaded from www.colligo.com)
- Not customizable

Interactive EXE Install

NOTE: Microsoft Outlook must be closed for the installation to be successful.

1. Double-click the installation file.
2. Prerequisites are downloaded and installed.
3. Enter your license key.
Colligo Email Manager can be set to launch at Windows Start Up. This enables the background synchronization to start automatically.

MSI Installer

The MSI installer package has the following key features:

- Supports silent and interactive installs
- Does not install prerequisites - these must be downloaded and pre-installed
- Customizable

Interactive MSI Install

NOTE: Microsoft Outlook must be closed for the installation to be successful.

1. Ensure prerequisites are installed.
2. Double-click the installation file.
3. Enter your license key.

Silent Install or Uninstall

You can use the `msiexec` utility to install or uninstall silently.

To perform a silent install, use the following command line:

```
msiexec /i <Installer.msi> /qn
```

For example:

```
msiexec /i ColligoEmail Manager.msi /qn
```

To perform a silent uninstall, use the following command line:

```
msiexec /x <Installer.msi> /qn
```

You can install a customized version of Colligo Email Manager using the msi installer. When using a batch file to install a customized msi package, it is important to ensure the prerequisites are installed before attempting to install Colligo Email Manager.

An example batch file is listed below:

```
msiexec /i \\server\Email ManagerInstall\PreReq\O2007PIA.MSI /qn  
\\server\Email ManagerInstall\PreReq\vstor.exe /q  
msiexec /i \\server\Email ManagerInstall\CustomColligoEmail Manager.msi  
/qn
```

Disabling Colligo Contributor Add-In for Outlook

If you have Colligo Contributor Add-in for Outlook installed, it is recommended that you remove it before running Colligo Email Manager. Please disable Colligo Contributor Add-in for Outlook by following the instructions here:

<http://www.colligo.com/support/kb/uninstall-add-in-for-outlook>

POST-INSTALL CONFIGURATION

Colligo Email Manager saves settings in the registry. Many settings can be configured post-install by pushing out settings to the registry. A detailed list of settings is maintained on the Colligo website at <http://www.colligo.com/support/settings/email-manager/>

Overriding PST Policies

Some organizations have a policy that does not allow users to create or modify PSTs. If this is the case, the following key must be added to the registry in order to override the policy and allow users to file emails and attachments to SharePoint locations through Colligo Email Manager:

Key	HKEY_CURRENT_USER\Software\Policies\Microsoft\Office\<version>\Outlook\PST\
Value Name	PSTDisableGrowAllowAuthenticcodeOverrides
Value Data	1
Value Type	DWORD

For more information, please see: <http://support.microsoft.com/kb/956070>

EDITING THE MSI

To edit the MSI installer package you need an MSI database editor. Colligo recommends the Orca database editor. Orca is a Microsoft utility for modifying and validating Windows Installer packages. It is intended to allow setup authors and administrators to manipulate databases compatible with the Windows Installer Service. This utility is a part of the Windows Installer SDK download, along with other MSI related tools.

An introduction to Orca can be found on the Microsoft site:

<http://support.microsoft.com/kb/255905/EN-US/>

Installing the Orca MSI editor


Instead of downloading the entire Windows Installer SDK, you can download Orca from Colligo's web site: <http://www.colligo.com/support/kb/orca-msi-editor/>

Using Orca to Edit the MSI


Once you have installed Orca, you can start editing the Colligo Email Manager.msi file. Colligo recommends copying the MSI file and working on the copy (since **Save As** in Orca does not save the entire MSI package).

Editing an MSI file:

1. Open the MSI file in Orca.
2. Navigate to the **Property** table in the **Tables** list.



- From the **Tables** menu, select **Add Row**.
The **Add Row** dialog displays:



- Enter the **Property** name and **Value**.
 - Click **OK**.
- The new property displays in the Property Table.

NOTE: Ensure you are using the exact same property names as specified in the **Post-Install Configuration** section. The property names are case sensitive.

NOTE: When editing an MSI database using Orca, there are extra steps required if you perform a **Save As....** As a best practice, it is advisable to edit an MSI database and **Save** the file being edited.

EDITING THE REGISTRY

Registry settings may be stored under HKEY_LOCAL_MACHINE or HKEY_CURRENT_USER. Values under HKEY_CURRENT_USER take precedence. Values are stored in:


- HKEY_LOCAL_MACHINE\Software\Colligo
- HKEY_LOCAL_MACHINE\Software\Wow6432Node\Colligo (for 64-bit machines)
- HKEY_CURRENT_USER\Software\Colligo

Registry keys must be in the form of Key/String Value. To add a string value to a registry key:

- Open the Registry Editor.
- Navigate to the Key you want to add a new String Value to. For example, if the key is **EmailManager/Search/OutlookPaneVisible**, Search is the key and OutlookPaneVisible is the string value within the Outlook Key.


NOTE: If the key doesn't exist, you can create it by right clicking on the parent key and select **New Key** from the contextual menu.

- Right-click on the right side and select **New > String Value** from the contextual menu:




A new String Value appears in the **Name** list.

- Enter the name of the String Value; in this example, it would be **OutlookPaneVisible**. To edit the name of the String Value, right click it and select **Rename** from the contextual menu:



- Press **Enter** or right-click and select **Modify** from the contextual menu to display the **Edit String** dialog:



6. Enter the **Value data** and click **OK**.

COLLIGO ADMINISTRATOR

Colligo Administrator is a system for managing, configuring, and monitoring Colligo Email Manager from a SharePoint server. Colligo Administrator consists of two components: the administrative server, which is built on standard SharePoint (SharePoint 2010 or later) and the administrative client, which is built into Colligo Email Manager.

Colligo Administrator allows you to centrally administer your users' SharePoint sites, folders and favorites, making it easy for users to file emails and documents to the right locations and access the right content without having to understand SharePoint.

For more information about Colligo Administrator, contact [Colligo Sales](#).

ACTIVATION AND LICENSING

Colligo Email Manager is normally licensed on a per user / per machine basis and the activation system is used to enable and authorize client installation. Each Colligo Email Manager client performs an activation request to the Colligo Activation servers to gain the necessary authorization for execution. The results of this activation are recorded in a special file that is stored in the installation area of Colligo Email Manager.

In a remote desktop server environment, where the user profile and storage may be located on network storage or may be created on demand, this activation file may not be maintained between sessions leading to unnecessary and repeated activation requests.

There is special licensing and license keys available for use with a remote desktop server environment that eliminates this activation request traffic. For further information contact [Colligo Sales](#).

VIRTUALIZATION AND HOT DESKING

Colligo Email Manager supports Citrix XenDesktop and Windows Remote Desktop (RDP) for multi-user, multi-session scenarios. A separate license is required.

In a multi-user, multi-session environment, Colligo recommends that you use the STORAGE_ROOT MSI property or registry key to define an alternative storage location for Outlook's PST folder so there is no conflict when a user logs in to multiple locations. Using this property allows the Administrator to define where the PST should be stored and should prevent any issues with users accessing the same PST file from Outlook.

In addition to the STORAGE_ROOT property, you can use two merge fields (EnvironmentComputerName and EnvironmentUserName) in this property to point to a location that is specific to the machine's physical location, rather than a single network location.

For example, a computer named ColligoComputer with a user named ColligoUser with the STORAGE_ROOT: `z:\PSTs\EnvironmentComputerName\EnvironmentUserName`, the resulting path would be `z:\PSTs\ColligoComputer\ColligoUser`

For more information about Citrix and remote desktop services, please contact Colligo.

COMMUNICATIONS

Colligo Email Manager communicates with SharePoint through the web services, the details of which are available on MSDN at: <http://msdn2.microsoft.com/en-us/library/aa979690.aspx>.

These web services calls are transmitted over HTTP (or HTTPS) using TCP. Colligo Email Manager also uses FrontPage RPC methods to communicate with the SharePoint server. FrontPage RPCs are also transmitted over HTTP(S) and TCP.

Details of the FrontPage RPC protocols are available on MSDN at: <http://msdn2.microsoft.com/en-us/library/ms954084.aspx>.

The services described above are installed and enabled on SharePoint by default. Because they are layered on top of TCP/HTTP, communication works over most WAN/VPN and/or wireless connections, as well as a standard LAN.

WHITE LABELING

For information on white labeling, please contact Colligo. There are a number of msi properties that you can configure to reflect your own company name or branding in the interface. This feature requires an additional license from Colligo.

METADATA

Colligo Email Manager prompts users to enter metadata when they upload content. The process helps maintain SharePoint metadata and drives user adoption by simplifying the process of entering metadata. You can enable or disable this functionality. (See **Post-Install Configuration**.)

Colligo Email Manager automatically extracts 22 metadata properties from email messages that are filed to SharePoint, and adds those properties to appropriate columns in SharePoint. This allows filed email to be easily found at a later time.

CONFIGURING SHAREPOINT LIBRARIES FOR EMAIL METADATA

Colligo provides a sample list template file that can be used to create a sample testing document library. Download the template from the Colligo Email Manager support site, install it to the List template gallery, and use it to create a new document library in your site.

Downloading the List Template

You can download the list template from the following location:


<http://www.colligo.com/support/kb/default-column-names-for-email-metadata-mapping/>

Download the attachment *CfsEmailLibrary2010.zip*.


The zip file contains a site template named *CfsEmailLibrary2010.stp*.

Installing the Sample List Template

1. Extract the list templates to the preferred location.
2. Navigate to the site collection you want to add the list template to.
3. In your SharePoint site, navigate to **Site Actions** -> **Site Settings**.
4. On the **Site Settings** screen, in the **Galleries** section, select **List Templates**:




5. In the List Template Gallery, in the **Library Tools** > **Documents** ribbon, click **Upload Document**:



The **Upload Document** dialog displays.

6. Browse to the list template file (**CfsEmailLibrary2010.stp**) and click **OK**.
The **List Template Gallery** dialog displays:




7. Enter the following information:
 - a. **Name:** enter a name for the template gallery
 - b. **Title:** enter a title that reflects the use of the template gallery
 - c. **Description:** enter a description for the template gallery
8. Click **Save**.
The new list template displays in the **List Template Gallery**.

Creating a Site


After you have installed the list template, you can create a new library based on the template.

1. Navigate to the site collection you want to add the list template to.
2. Select **Site Actions > More Options**.
The **Create** dialog displays.



3. Select the name of the list template you added.
NOTE: the name of the list template displays with the title you entered in step 7.b of Installing the Sample List Template:
4. In the right pane, enter a name for the library, and click **Create**.

5. Under the **Library Tools > Documents** ribbon, click the **New Document** drop-down arrow. The new Document Library displays as an option:



Manually Creating Content Types

Colligo Email Manager fully supports Content Types, and when working with Email documents Colligo recommends you create a content type for your email documents.

Enabling Metadata Extraction

To enable metadata extraction to a document library, you need to create a document library with columns that are defined to have metadata extracted into them. Columns can be created either directly, or by adding an existing content type to the library.

Colligo Email Manager extracts the following metadata properties from emails:

Email Metadata	Default Column Name (display name of SharePoint column)	Type
Attachment	Attachment	Yes/No
Bcc	Bcc	Text
Bcc-Address	Bcc-Address	Text
Bcc-Type	Bcc-Type	Text
Categories	Categories	Text
Cc	Cc	Text
Cc-Address	Cc-Address	Text
Cc-Type	Cc-Type	Text
Conversation	Conversation	Text
From	From	Text
From-Address	From-Address	Text
From-Type	From-Type	Text
Importance	Importance	Number
Received	Received	Date/Time
Received-UTC	Received-UTC	Date/Time
Sensitivity	Sensitivity	Number
Sent	Sent	Date/Time
Sent-UTC	Sent-UTC	Date/Time
Subject	Subject	Text
To	To	Text
To-Address	To-Address	Text
To-Type	To-Type	Text

NOTE: Text fields can be Single Line of Text, or, Multiple Line of Text.

Addresses can be in exchange or SMTP format.


Metadata can be extracted into alternatively named columns. To extract metadata into non-default column names, see **Changing Column Mappings**.

NOTE: if you are creating a library for your email metadata to be extracted into, and you want your users to be able to search on field-specific metadata, you must then also configure each column to be searchable. For information on configuring columns for search, see **Adding Searchable Columns in SharePoint**.


Adding a New Content Type to a Library

When creating an email content type, suitable SharePoint permissions are required. Typically, the email content type is created in the top level site within a site collection, allowing inheritance and customization in sub-sites.

1. In your document library, select **Site Actions** > **Site Settings**.
2. In the **Galleries** section, select **Site content types**:



3. In the **Site Content Types** page, click **Create**:



The **New Site Content Type** screen displays:

Site Actions Tessa MacKinnon

Home > Site Settings > Site Content Types > New Site Content Type

Use this page to create a new site content type. Settings on this content type are initially copied from the parent content type, and future updates to the parent may overwrite settings on this type.

Libraries

- Drop Off Library
- Offline Library
- Site Pages
- Email Document Library_new
- New Library

Lists

- Calendar
- Case

Name and Description

Type a name and description for this content type. The description will be shown on the new button.

Name:

Description:

Parent Content Type:

Select parent content type from:

Parent Content Type:

Description: Create a new document.

Group

Specify a site content type group. Categorizing content types into groups will make it easier for users to find them.

Put this site content type into:

Existing group:


New group:

4. Enter the following information:
 - a. **Name and Description**
 - i. **Name:** enter a name for the content type
 - ii. **Description:** enter a description for the content type
 - iii. **Parent Content Type:** from the first drop-down list, select the parent content type group; in the second drop-down list, select the parent content type.
 - b. **Group:** choose if the content type is put into either:
 - i. **Existing group:** choose an existing content group from the drop-down menu
 - ii. **New group:** enter a name for a new content group
5. Click **OK**.
The content type is added.


Configuring a Content Type

After adding a content type, you can add existing site columns as well as create new site columns.

1. On the new content type page, click either:
 - a. **Add from existing site columns**
 - b. **Add from new site column**



Add Columns to Content Type:



2. Enter the following information:
 - a. **Select Columns:** choose a group from the **Select Columns from** drop-down menu
 - b. **Update List and Site Content Types:** choose if you want to update all content types inheriting from this type

New Site Column:

Site Actions Tessa MacKinnon

Home > Site Settings > New Site Column

Use this page to add a site column.

Home Arne Test Gregor Test Valentina Test Andrew Test Eric Test Eve test Senior Management Braeden's Demo Site Susan Test

Jinks Kaczor Dyck LLC Guillaume Test OnePlaceMail Test Steve Test Colligo Social Committee Ben Henderson Special Column Test Bernard Test

BeeDub Test test_new_site TessaTest

Libraries

- Drop Off Library
- Offline Library
- Site Pages
- brads_folders
- brads_folders_2
- brads_emails
- lotus_notes_emails
- DarylTest
- DarylTest2
- Susan
- a new library
- Test
- Email Document Library_new
- New Library

Lists

- Calendar
- Case

Discussions

- Team Discussion

Recycle Bin

All Site Content

Name and Type

Type a name for this column, and select the type of information you want to store in the column.

Column name:

The type of information in this column is:

- Single line of text
- Multiple lines of text
- Choice (menu to choose from)
- Number (1, 1.0, 100)
- Currency (\$, ¥, €)
- Date and Time
- Lookup (information already on this site)
- Yes/No (check box)
- Person or Group
- Hyperlink or Picture
- Calculated (calculation based on other columns)
- Full HTML content with formatting and constraints for publishing
- Image with formatting and constraints for publishing
- Hyperlink with formatting and constraints for publishing
- Summary Links data
- Rich media data for publishing
- Managed Metadata

Group

Put this site column into:

- Existing group:
- New group:

Additional Column Settings

Specify detailed options for the type of information you selected.

Description:

Require that this column contains information:

- Yes
- No

Maximum number of characters:

Default value:

- Text
- Calculated Value

Update List and Site Content Types

Specify whether all child site and list content types using this type should be updated with the settings on this page. This operation can take a long time, and any customizations made to these values on the child site and list content types will be lost.

Update all content types inheriting from this type?

- Yes
- No

[Column Validation](#)

3. Enter the following information:
 - a. **Name and Type**
 - i. **Column name:** enter the column name
 - ii. Choose a type of information contained in the column
 - b. **Group:** choose if the column will belong to an existing group or a new one
 - c. **Additional Column Settings**
 - i. **Description:** enter a description for the column
 - ii. **Require that this column contains information:** choose **Yes** if you require this column to be a mandatory field the user must fill out

- iii. **Maximum number of characters:** enter the maximum number of characters you want to have in this column
- iv. **Default Value:** choose **Text** or **Calculated Value**
- d. **Update List and Site Content Types:** choose if you want to update all content types inheriting from this type

After adding the columns to the Email Content Type you may choose to re-order the columns and/or make the columns hidden.


Hiding Columns

If you choose to make a column Hidden, the column is **not** displayed in the properties page of SharePoint, or Colligo Email Manager’s default metadata editor dialog box.


However, Colligo Email Manager still extracts metadata into any hidden columns, and they can still be displayed in views, or used for filters.

Adding a New Content Type to Library

1. In your document library, go to **Library Tools > Library** ribbon and click the **Library Settings** icon.
2. In the **General Settings** section, click the **Advanced settings** link:



3. In the **Advanced Settings** screen, ensure the **Allow management of content types** option is set to **Yes**:




4. Click **OK** to save the changes and return to the Library Settings screen.
5. On the **Document Library Settings** screen, scroll down to the **Content Types** section:

Content Type	Visible on New Button	Default Content Type
Document	✓	

[Add from existing site content types](#)
[Change new button order and default content type](#)

- Click the **Add from existing site content types** link.
- In the **Add Content Types** screen, select a content type from the **Available Site Content Types** list, and click **Add**:



- Click **OK** to return to the **Document Library Settings** screen. The new content type displays in the **Content Types** section:

Content Type	Visible on New Button	Default Content Type
Email	✓	✓
Document	✓	

[Add from existing site content types](#)
[Change new button order and default content type](#)

Creating a Library Without Content Types

If you do not wish to use content types in your SharePoint library, you can add columns directly to the library to enable email metadata mapping. See **Enabling Metadata Extraction** for the metadata fields and default column names.

1. In your document library, go to **Library Tools > Library** ribbon and click the **Library Settings** icon.
2. In the **Document Library Settings** screen, scroll down to the **Columns** section and click **Create Column**:

Column (click to edit)	Type	Required
Title	Single line of text	
Attachment	Yes/No	
Checked Out To	Person or Group	

[Create column](#)
[Add from existing site columns](#)
[Column ordering](#)
[Indexed columns](#)

The **Create Column** screen displays:


3. Enter the following information:
 - a. **Name and Type**
 - i. **Column name:** enter the column name

- ii. Choose a type of information contained in the column
- b. **Additional Column Settings**
 - i. **Description:** enter a description for the column
 - ii. **Require that this column contains information:** choose **Yes** if you require this column to be a mandatory field the user must fill out
 - iii. **Enforce unique values:** choose Yes if you want this column to have a unique value
 - iv. **Maximum number of characters:** enter the maximum number of characters you want to have in this column
 - v. **Default Value:** choose **Text** or **Calculated Value**
 - vi. **Add to default view:** check this box if you want this column to display in the default view
- 4. Click **OK**.
The new column displays in the **Columns** section in your **Document Library Settings** list.


Creating an Email View

After you have defined your content type and added it to your library, it is recommended that you create an email view.

- 1. In your document library, go to **Library Tools > Library** ribbon and click the **Create View** icon:



The **Create View** screen displays:



- 2. Click the **Standard View** link.
The configuration options for the standard view display:

Site Actions ▾

Home ▸ Email Document Library_new ▸ Document Library Settings ▸ Create View

Use this page to create a view of this document library.

I Like It Tags & Notes

OK Cancel

Libraries

- Drop Off Library
- Offline Library
- Site Pages
- Email Document Library_new
- New Library

Lists

- Calendar
- Case

Name

Type a name for this view of the document library. Make the name descriptive, such as "Sorted by Author", so that site visitors will know what to expect when they click this link.

View Name:

Make this the default view (Applies to public views only)

Audience

Select the option that represents the intended audience for this view.

View Audience:

Create a Personal View
Personal views are intended for your use only.

Create a Public View
Public views can be visited by anyone using the site.

Columns

Select or clear the check box next to each column you want to show or hide in this view of this page. To specify the order of the columns, select a number in the **Position from left** box.

Display	Column Name	Position from Left
<input checked="" type="checkbox"/>	Type (icon linked to document)	1
<input checked="" type="checkbox"/>	Name (linked to document with edit menu)	2
<input checked="" type="checkbox"/>	Modified	3
<input checked="" type="checkbox"/>	Modified By	4

Sort

Select up to two columns to determine the order in which the items in the view are displayed. [Learn about sorting items.](#)

First sort by the column:

Show items in ascending order (A, B, C, or 1, 2, 3)

Show items in descending order (C, B, A, or 3, 2, 1)

Then sort by the column:

Show items in ascending order (A, B, C, or 1, 2, 3)

Show items in descending order (C, B, A, or 3, 2, 1)

Sort only by specified criteria (folders may not appear before items).

Filter

Show all of the items in this view, or display a subset of the items by using filters. To filter on a column based on the current date or the current user of the site, type **[Today]** or **[Me]** as the column value. Use indexed columns in the first clause in order to speed up your view. Filters are particularly important for lists containing 5,000 or more items because they allow you to work with large lists more efficiently. [Learn about filtering items.](#)

Show all items in this view

Show items only when the following is true:

Show the items when column is equal to

And Or

When column is equal to

[Show More Columns...](#)

Inline Editing

Tabular View

Group By

Totals

Style

Folders

Item Limit

Mobile

Adjust mobile settings for this view.

Enable this view for mobile access (Applies to public views only)


Make this view the default view for mobile access (Applies to public views only)

Number of items to display in list view web part for this view:

Field to display in mobile list simple view:


OK Cancel

- Enter the **Name** and **Audience** for your view.
- Click **OK**. You can now select this view from your **Current View** list in your **Library** ribbon:



Validating Metadata Extraction

To validate that your metadata is being extracted correctly, drag-and-drop an email into a Favorite or Folder location (see the [Colligo Email Manager User Guide](#)), and check that the correct metadata is being displayed and extracted in the **Edit Properties** dialog:



Changing Column Mappings

By default, the required SharePoint column display name matches the Outlook message field name shown in the table in **Manually Creating Content Types**.

The email configuration file allows you to override the default mapping of the Outlook message field name to the SharePoint column display name.

Name the file `ColligoMappingConfig.xml` and store it in one of the following locations:

Windows Vista/7:

- `C:\Users\%username%\AppData\Roaming\Colligo\EmailManager\Config\`
- `C:\Users\%username%\AppData\Local\Colligo\EmailManager\Config\`

Windows XP:

- C:\Documents and Settings\%username%\Local Settings\Application Data\Colligo\EmailManager\Config\
- C:\Documents and Settings\%username%\ApplicationData\Colligo\EmailManager\Config\

To adjust the SharePoint metadata column name for a particular Outlook message field, the SPColumn attribute of the appropriate Mapping element is changed. It is also possible to specify multiple mappings for the same message field. That is, the same field can be mapped to multiple SharePoint metadata columns.

The format of the ColligoMappingConfig.xml file is shown below:

```
<?xml version="1.0" encoding="utf-8"?>
<ColligoMappingConfig>
  <Mappings>
    <Mapping Field="Attachment" SPColumn="Attachment"/>
    <Mapping Field="Bcc" SPColumn="Bcc"/>
    <Mapping Field="Bcc-Address" SPColumn="Bcc-Address"/>
    <Mapping Field="Bcc-Type" SPColumn="Bcc-Type"/>
    <Mapping Field="Categories" SPColumn="Categories"/>
    <Mapping Field="Cc" SPColumn="Cc"/>
    <Mapping Field="Cc-Address" SPColumn="Cc-Address"/>
    <Mapping Field="Cc-Type" SPColumn="Cc-Type"/>
    <Mapping Field="Conversation" SPColumn="Conversation"/>
    <Mapping Field="From" SPColumn="From"/>
    <Mapping Field="From-Address" SPColumn="From-Address"/>
    <Mapping Field="From-Type" SPColumn="From-Type"/>
    <Mapping Field="Importance" SPColumn="Importance"/>
    <Mapping Field="Message Body" SPColumn="Message Body"/>
    <Mapping Field="Received" SPColumn="Received"/>
    <Mapping Field="Received-UTC" SPColumn="Received-UTC"/>
    <Mapping Field="Sensitivity" SPColumn="Sensitivity"/>
    <Mapping Field="Sent" SPColumn="sent"/>
    <Mapping Field="sent-UTC" SPColumn="sent-UTC"/>
    <Mapping Field="subject" SPColumn="subject"/>
    <Mapping Field="To" SPColumn="To"/>
    <Mapping Field="To-Address" SPColumn="To-Address"/>
    <Mapping Field="To-Type" SPColumn="To-Type"/>
  </Mappings>
</ColligoMappingConfig>
```

CONFIGURING SEARCH IN A SHAREPOINT SITE

Colligo Email Manager is compatible with both SharePoint's Basic (default) search functionality, as well as Microsoft FAST Search Server 2010 for SharePoint.

If you want to install FAST, follow the instructions at the following location:

<http://technet.microsoft.com/en-us/library/ff381243.aspx>

Adding Searchable Columns in SharePoint


Colligo Email Manager provides the ability to search on SharePoint metadata (columns). For example, users may want to search on email properties such as "To", "From" and "Subject." To enable this functionality, SharePoint must be configured to index the columns that you would like to allow users to search on.

1. In an existing SharePoint site, go to **Library Settings**.
2. Under the **Columns** section, choose **Create Column**.
3. Add a column for every field that you want to be searchable.
NOTE: create columns with lower case names with no special characters or white spaces. This file naming convention allows you to use the same FAST Search mapping property names as site column names.
4. Upload at least one document to the library with each metadata column filled out in order for the search crawler to register any new columns.

ADDING MANAGED PROPERTY MAPPINGS

To add managed property mappings:


1. In SharePoint's **Central Administration**, go to **General Application Settings > Farm Search Administration**.
2. Depending on whether or not you are using FAST Search, choose one of the following options:
 - a. If you are using FAST Search, click **FASTContent**.
The **FASTQuery: Search Administration** page displays.
 - b. If you are not using FAST Search, click **Search Service Application**.
The **Search Service Application: Search Administration** page displays.




- In the **Crawling** section, click **Content Sources**.

If you are using FAST Search, the **FASTContent: Manage Content Sources** page displays.

If you are not using FAST Search, the **Search Service Application: Manage Content Sources** page displays.



- If a content source is not configured, click **New Content Source** to configure one.



If you are using FAST Search, the **FASTContent: Add Content Source** page displays.

If you are not using FAST Search, the **Search Service Application: Add Content Source** page displays.

Site Actions ▾
Brad Lawther ▾

SharePoint 2010

I Like It
Tags & Notes

Central Administration
▶ FASTContent: Add Content Source

Administration

Search Administration

Farm Search Administration

Crawling

Content Sources

Crawl Rules

Crawl Log

Server Name Mappings

Host Distribution Rules

File Types

Index Reset

Crawler Impact Rules

Reports

Administration Reports

Use this page to add a content source.

* Indicates a required field

Name

Type a name to describe this content source.

Name: *

Content Source Type

Select what type of content will be crawled.

Note: This cannot be changed after this content source is created because other settings depend on it.

SharePoint Sites
 Web Sites
 File Shares
 Exchange Public Folders
 Line of Business Data
 Custom Repository

Start Addresses

Type the URLs from which the search system should start crawling.

This includes all SharePoint Server sites and Microsoft SharePoint Foundation sites.

Type start addresses below (one per line): *

Example:
http://intranetsite

Crawl Settings

Specify the behavior for crawling this type of content.

Selecting to crawl everything under the hostname will also crawl all the SharePoint Sites in the server.

Caution: After you select crawl settings for a SharePoint content source, you cannot change crawling behavior unless you re-create the content source. Verify that you select the option that best suits your needs.

Select crawling behavior for all start addresses in this content source:

Crawl everything under the hostname for each start address
 Only crawl the Site Collection of each start address

Crawl Schedules

Select the crawl schedules for this content source.

Select the schedule that this should be a part of:

Full Crawl
 Create schedule

Incremental Crawl
 Create schedule

Content Source Priority

Select what the priority of this content source should be. The Crawl system will prioritize the processing of 'high' priority content sources over 'Normal' priority content sources


Select the priority for this content source:
 Priority:

Start Full Crawl


Select "Start full crawl of this content source" and click "OK" to start a full crawl of this content source.

Start full crawl of this content source

- After you have added the new content source, return to the **Manage Content Sources** page, and click **Start All Crawls**.




- Wait until all crawls are completed.
- Return to the **Central Administration** and navigate to **General Application Settings > Farm Search Administration**.
- Depending on whether or not you are using FAST Search, choose one of the following options:
 - If you are using FAST Search, click **FastQuery**.
 - If you are not using FAST Search, click **Search Service Application**.
- Depending on whether or not you are using FAST Search, choose one of the following options:
 - If you are using FAST Search, in the **Administration** section, click **FAST Search Administration**.
 - If you are not using FAST Search, in the **Administration** section, click **Search Administration**.




If you have FAST Search, the **FASTQuery:FAST Search Administration** screen displays.

If you do not have FAST Search, the **Search Service Application: Search Administration** screen displays.



10. Click **Managed Properties > Add Managed Property**.


The **New Managed Property** screen displays:



11. Fill out the following fields:

- a. **Property name:** ensure the name is all lower case and has no spaces or special characters
- b. **Type:** choose the appropriate type
- c. **Mappings to Crawler Properties:** click **Add Mapping**

The **Select Crawled Properties** screen displays:



- i. Select a property in the **Available crawled properties** list and click **Add** to move it to the **Selected crawled properties** list.
 - ii. Repeat for each column you want to make available on a search query.
 - iii. Click **OK** when complete.
- d. **Query Property:** check the **Query Property** checkbox.
 - e. Click **OK**.

Enabling the IsDocument Property

The IsDocument property is a default SharePoint property that is true for all document types. You must configure the property before it can be used in a search.

1. In SharePoint's **Central Administration**, go to **General Application Settings > Farm Search Administration**.
2. Click **FASTQuery**.
3. In the **Queries and Results** section, click **Metadata Properties**.
4. Set the Managed Property **IsDocument** to True.
5. Click **OK**.

Configuring Local Machines

1. Create the `ColligoMappingConfig.xml` file on a local machine in one of the following directories:

Windows Vista/7:

- `C:\Users\%username%\AppData\Roaming\Colligo\EmailManager\Config\`
- `C:\Users\%username%\AppData\Local\Colligo\EmailManager\Config\`

Windows XP:

- `C:\Documents and Settings\%username%\Local Settings\Application Data\Colligo\EmailManager\Config\`
- `C:\Documents and Settings\%username%\ApplicationData\Colligo\EmailManager\Config\`

2. Use the crawler mapping names to populate the configuration file.

NOTE: Columns are case sensitive

```
<?xml version="1.0" encoding="utf-8"?>
<ColligoMappingConfig>
  <Mappings>
    <Mapping Field="Attachment" SPColumn="Attachment"/>
    <Mapping Field="Bcc" SPColumn="Bcc"/>
    <Mapping Field="Bcc-Address" SPColumn="Bcc-Address"/>
    <Mapping Field="Bcc-Type" SPColumn="Bcc-Type"/>
    <Mapping Field="Categories" SPColumn="Categories"/>
    <Mapping Field="Cc" SPColumn="Cc"/>
    <Mapping Field="Cc-Address" SPColumn="Cc-Address"/>
    <Mapping Field="Cc-Type" SPColumn="Cc-Type"/>
    <Mapping Field="Conversation" SPColumn="Conversation"/>
    <Mapping Field="From" SPColumn="From"/>
    <Mapping Field="From-Address" SPColumn="From-Address"/>
    <Mapping Field="From-Type" SPColumn="From-Type"/>
    <Mapping Field="Importance" SPColumn="Importance"/>
    <Mapping Field="Message Body" SPColumn="Message Body"/>
    <Mapping Field="Received" SPColumn="Received"/>
    <Mapping Field="Received-UTC" SPColumn="Received-UTC"/>
    <Mapping Field="Sensitivity" SPColumn="Sensitivity"/>
    <Mapping Field="Sent" SPColumn="Sent"/>
    <Mapping Field="Sent-UTC" SPColumn="Sent-UTC"/>
    <Mapping Field="Subject" SPColumn="Subject"/>
    <Mapping Field="To" SPColumn="To"/>
    <Mapping Field="To-Address" SPColumn="To-Address"/>
    <Mapping Field="To-Type" SPColumn="To-Type"/>
  </Mappings>
</ColligoMappingConfig>
```

UNINSTALLING COLLIGO EMAIL MANAGER

To uninstall, Colligo Email Manager, complete the following steps:

- 1) In your Control Panel, choose **Uninstall a Program** from the **Programs** group.
- 2) Select Colligo Email Manager in the program list and click **Uninstall**.